

Version number 2305 (replaces version 1)

Revision: 24.05.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: <u>MANNOL 7901 Chain Lube 200ml</u>
- · UFI: WFT1-S7XC-400P-AF7P
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Lubricant
- 1.3 Details of the supplier of the safety data sheet
   Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154
   22880 WEDEL
   DEUTSCHLAND
   +49 (0)4103 1211 0
   info@sct-germany.de
- Further information obtainable from: Product safety department.
   1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame



1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Danger
- **Hazard-determining components of labelling:** Solvent naphtha (petroleum), heavy arom.

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

<sup>-</sup> IE



Printing date 24.05.2023

H304

Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 1)

#### May be fatal if swallowed and enters airways. · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- Keep out of reach of children. P102
- P103 Read carefully and follow all instructions.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- Dispose of contents/container in accordance with local/regional/national/international P501 regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

#### · vPvB:

64742-94-5 Solvent naphtha (petroleum), heavy arom.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	nents:		
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	40–47%	
EINECS: 265-198-5	Asp. Tox. 1, H304 vPvB		
CAS: 106-97-8	butane, pure	10–22%	
EINECS: 203-448-7	Flam. Gas 1A, H220; Press. Gas (Comp.), H280		
CAS: 74-98-6	propane	1–9%	
EINECS: 200-827-9	Flam. Gas 1A, H220; Press. Gas (Comp.), H280		
· Not dangerous substances			
CAS: 68153-81-1 EINECS: 268-896-8	Grease	15–22%	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

(Contd. on page 3)



Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 2)

## • 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

Printing date 24.05.2023



Printing date 24.05.2023

#### Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 3)

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure (22.0%)

OEL Short-term value: 1000 ppm

74-98-6 propane (9.0%)

OEL Asphx

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Not required.

#### **SECTION 9: Physical and chemical properties**

· General Information	Dhua	
· Colour:	Blue	
· Odour:	Odourless	
<sup>·</sup> Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
Boiling point or initial boiling point ar	nd boiling	
range	Not applicable, as aerosol.	
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	Not applicable, as aerosol.	
Decomposition temperature:	Not determined.	
		(Contd. on page



Printing date 24.05.2023

Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

	(Contd. of page
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	ue) Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Oily
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Solvent content:	
Organic solvents:	11–31 %
VOC (EC)	11–31 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical haza	
classes	aru
Linaaea	
	Void
Explosives	Void
Explosives Flammable gases	Void
Explosives Flammable gases	Void Extremely flammable aerosol. Pressurise
Explosives Flammable gases Aerosols	Void Extremely flammable aerosol. Pressurise container: May burst if heated.
Explosives Flammable gases Aerosols Oxidising gases	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Extremely flammable aerosol. Pressurise container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Extremely flammable aerosol. Pressurised container: May burst if heated. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Extremely flammable aerosol. Pressurised container: May burst if heated. Void Void Void Void Void Void Void Void

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 5)

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide Aldehyde Poisonous gases/vapours
- Carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard
- May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

#### · vPvB:

64742-94-5 Solvent naphtha (petroleum), heavy arom.

(Contd. on page 7)

<sup>-</sup> IE



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1)

Revision: 24.05.2023

## Trade name: MANNOL 7901 Chain Lube 200ml

(Contd. of page 6)

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

## · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

HP3 Flammable

## · Uncleaned packaging:

 $\cdot$  **Recommendation:** Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1 Gases.	
Label	2.1	
14.4 Packing group ADR, IMDG, IATA	111	



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

	(Contd. of page 7)	
· 14.5 Environmental hazards:	Not applicable.	
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code)</li> <li>EMS Number:</li> <li>Stowage Code</li> </ul>	Warning: Gases. : 23 F-D,S-U SW1 Protected from sources of heat.	
· Stowage Code	SW2 Clear of living quarters.	
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of cla 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of cla 2.	
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.	
· Transport/Additional information:		
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity	
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 D	
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, III	

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)

IE -



Printing date 24.05.2023

Version number 2305 (replaces version 1)

Revision: 24.05.2023

#### Trade name: MANNOL 7901 Chain Lube 200ml

· REGULATION (EU) 2019/1148

(Contd. of page 8)

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Product safety department.
- Date of previous version: 16.06.2022
- · Version number of previous version: 1
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases Category 1A
- Aerosol 1: Aerosols Category 1
- Press. Gas (Comp.): Gases under pressure Compressed gas
- Asp. Tox. 1: Aspiration hazard Category 1
- \* \* Data compared to the previous version altered.