

Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: MANNOL 9671 Motor Kaltreiniger 450ml
- · UFI: Y9SU-90QY-700G-R904
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND +49 (0)4103 1211 0 info@sct-germany.de

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.



GHS08 health hazard

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 1)

#### · Hazard pictograms







GHS02 GHS05 GHS08

### · Signal word Danger

### · Hazard-determining components of labelling:

Toluene

Cocamide DEA

Benzene Sulphonic acid, alkyl derivs.

### · Hazard statements

H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

B	· · · · · · · · · · · · · · · · · · ·	ontd. of page
Dangerous compo	nents:	
CAS: 108-88-3	Toluene	10–<20%
EINECS: 203-625-9	Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 106-97-8	butane, pure	5-<15%
EINECS: 203-448-7	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
CAS: 111-76-2	2-butoxyethanol	5–<10%
EINECS: 203-905-0	Acute Tox. 3, H311; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg	
CAS: 74-98-6	propane	1–<5%
EINECS: 200-827-9	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
CAS: 68603-42-9	Cocamide DEA	1–<5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315	
CAS: 14409-72-4 EC number: 604-395	26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-	1.5-<2.5
	Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 42615-29-2	Benzene Sulphonic acid, alkyl derivs.	1.5-<2.5
EC number: 610-046	6-9 Skin Corr. 1C, H314; Acute Tox. 4, H302	
CAS: 532-32-1	sodium benzoate	0.5-<2%
EINECS: 208-534-8	Eye Irrit. 2, H319	
Not dangerous sub	stances	<u> </u>
CAS: 7732-18-5 EINECS: 231-791-2	water, distilled, conductivity or of similar purity	20–≤29
CAS: 102-71-6 EINECS: 203-049-8		
CAS: 9005-65-6 NLP: 500-019-9	Sorbitan monooleate, ethoxylated	1-<4%
SVHC		•
14409-72-4   26-(4-n	onylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol	

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 3)

 $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

(Contd. on page 5)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 4)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

orr control parameters	
· Ingredients with limit values that require monitoring at the workplace:	
108-88-3 Toluene (20.0%)	
OEL Short-term value: 384 mg/m³, 100 ppm Long-term value: 192 mg/m³, 50 ppm Sk, IOELV	
106-97-8 butane, pure (15.0%)	
OEL Short-term value: 1000 ppm	
111-76-2 2-butoxyethanol (10.0%)	
OEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Sk, IOELV	
74-98-6 propane (5.0%)	
OEL Asphx	
102-71-6 Triethanolamine (5.0%)	
OEL Long-term value: 5 mg/m³	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 5)

be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Light weight protective clothing

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

· General Information

· Colour: White

Odour: CharacteristicOdour threshold: Not determined.

• **Melting point/freezing point:** Undetermined.

· Boiling point or initial boiling point and boiling

range Not applicable, as aerosol.

· Flammability Not applicable.

· Lower and upper explosion limit

• **Lower:** 1.1 Vol % • **Upper:** 10.6 Vol %

· Flash point: Not applicable, as aerosol.

Decomposition temperature: Not determined.

• pH at 20 °C 9.63

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 0.95 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Not determined.

· Solvent content:

• Organic solvents: 22–<55 % • Water: 20–≤29 %

(Contd. on page 7)



Revision: 29.05.2023 Printing date 29.05.2023 Version number 2305 (replaces version 2210)

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

	(Contd. of page 6)
· VOC (EC)	22–<55 %
· Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical haz	ard
· Explosives	Void
Flammable gases	Void
· Aerosols	Flammable aerosol. Pressurised container: May
A0100010	burst if heated.
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Desensitised explosives

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours

Carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rel	evant for classification:
ATE (Acu	te Toxicity	y Estimates)
Oral	LD50	>5,968–10,663 mg/kg

(Contd. on page 8)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

		(Contd. of page 7
Dermal	LD50	>4,000–8,000 mg/kg (rab)
Inhalative	LC50/4 h	>110–220 mg/l
108-88-3 7	Toluene	
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	12,124 mg/kg (rabbit)
Inhalative	LC50/4 h	5,320 mg/l (mouse)
106-97-8 k	outane, pu	ire
Inhalative	LC50/4 h	658 mg/l (rat)
111-76-2 2	2-butoxyet	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
532-32-1 s	odium be	nzoate
Oral	LD50	4,070 mg/kg (rat)

#### Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

### Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 9)



Revision: 29.05.2023 Printing date 29.05.2023 Version number 2305 (replaces version 2210)

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 8)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europ	· European waste catalogue	
HP3	Flammable	
HP4	Irritant - skin irritation and eye damage	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP6	Acute Toxicity	
HP10	Toxic for reproduction	

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	n
-----------------------------------	---

· ADR, IMDG, IATA UN1950

· 14.2 UN proper shipping name

1950 AEROSOLS · IMDG **AEROSOLS** · IATA

AEROSOLS, flammable

· 14.3 Transport hazard class(es)

· ADR



2 5F Gases. · Class · Label 2.1

· IMDG, IATA



· Class 2.1 Gases.

(Contd. on page 10)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

	(Contd. of page
· Label	2.1
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler cod · EMS Number: · Stowage Code  · Segregation Code	Warning: Gases.  F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacit above 1 litre: Category B. For WASTE AEROSOLS Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of clas 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of clas 2.
· 14.7 Maritime transport in bulk according IMO instruments	
· Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	1L Code: E0 Not permitted as Excepted Quantity 2 D
· IMDG · Limited quantities (LQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 11)



Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 10)

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

### · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

14409-72-4 | 26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan- | Sunset date: 2021-01-04 | 1-ol

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 48
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

108-88-3 Toluene

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 Toluene

3 |

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

14409-72-4 26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- · **Department issuing SDS:** Product safety department.

(Contd. on page 12)

Page 12/12



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.05.2023 Version number 2305 (replaces version 2210) Revision: 29.05.2023

Trade name: MANNOL 9671 Motor Kaltreiniger 450ml

(Contd. of page 11)

Date of previous version: 03.10.2022
Version number of previous version: 2210

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 2: Aerosols - Category 2

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

1=